


SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50

E-mail: info@smg-machines.com















Item number/s:

6400113

Batch mixer for binder and rubber granules.


A wide variety of materials in small quantities can be homogeneously mixed by the MixMatic M250. The compact mixing unit with petrol engine can save you a lot of storage space. Two wheelbarrows (supplied) used as mixing and transport container ensure a continuous and flexible flow of material.

A hydraulic lifter swings the mixing head upwards. The wheelbarrow is then placed underneath the mixing unit. Afterwards the mixing unit needs to be lowered and thus the container is fixed in position. The mixing cycle starts and continues until it is switched off manually. During the mixing time of approx. 2 minutes the next mixture can be prepared in another wheelbarrow. Additional material can be safely added at any time through the filling lattice. Thus, a homogeneous mixture of all components is achieved in the shortest possible time.

Detail views








MixMatic M250 Easy handling Grid

Detail views







Wheelbarrow as mixing container

Wheelbarrow

Mixing tool integrated in the mixing head, hydraulically liftable

Detail views



Petrol engine and steering elements are protected and clearly positioned

Technical information

Drive	M250 B: Petrol engine / 1 Zylinder / 7,1 KW (9,6 HP)
Mixing capacity	90 kg/2 min
Mixer drive	Hydraulic aggregate with tank, pump, manual control valve, main control block, contents level display
Filling height	1,200 mm
Weight	350 kg
Dimensions	L 1,400 x W 900 x H 1,200 mm
Shipping dimensions	L 2,380 x W 1,170 x H 1,300 mm

Subject to technical changes



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com