


### SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50

E-mail: info@smg-machines.com















#### Item number/s:

6239864

Semi-automatic paver for multi sports surfaces, design flooring. Working width up to 650 mm, (variable), area performance up to 100 m<sup>2</sup>/h.

The semi-automatic paver PlanoMatic P208 is capable of a theoretical area performance of up to 100 m<sup>2</sup>/h. The installation width of 650 mm makes it the ideal solution for small areas.


The installation speed is set directly on the gear motor. The operating temperature of the screed can be regulated by using a temperature regulator. The compaction degree of the material to be paved as well as the paving thickness can be adjusted using handwheels. Installation thicknesses of 0 - 12 mm are possible.

With a weight of 200 kg and a width of just 900 mm, the P208 can be easily operated by just one person using a steering drawbar and maneuvered through doors or elevators. This makes it easy to reach even hard-to-reach or narrow spaces.

### **Detail views**







#### Simple

Central control panel including all operating functions.

#### **Precision**

Spindles to adjust installation height and compaction.

#### **Process safety**

Adjusted and constant material flow.

### **Detail views**



#### Traction

Robust drive wheels

### **Technical information**

Power	1,62 kW (2,2 HP) / 230 V / 50 Hz / 7,05 A
Traction drive	speed of forward movement c. 1.8 m/min. to 5 m/min.
Installation width	650 mm
Area performance	up to 195 m²/h
Weight	200 kg
Dimensions	L 1,100 x W 890 x H 1,100 mm



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com