


SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50

E-mail: info@smg-machines.com





PlanoMatic - Paving PlanoMatic P215



PlanoMatic - Paving PlanoMatic P215









Item number/s:

6211491

Semi-automatic paver for multipurpose sports surfaces, playgrounds and jogging tracks. Working width 1,500 mm (variable), area performance 400 m²/h.

P215 is driven by an electrical gear motor with frequency converters. Thus, the paving speed can be variably adjusted. The steering drawbar is equipped with operating elements for driving and the oscillation of the screed. Lateral pressure on the steering drawbar determines the direction of travel of the machine.

The angle of the screed can be adjusted for the optimal compaction of the material. The paving thickness is adjustable via two handwheels and can be changed manually at any time. The chassis of the machine lifts up by using the hydraulic hand pump - transporting or rather moving the machine can be done by one person due to the little weight.

PlanoMatic - Paving PlanoMatic P215

Detail views







PlanoMatic P215

Hydraulic hand pump for the manual up/down lifting of the machine

Heated screed with limiters on the side for homogeneous and seamless installation

PlanoMatic - Paving PlanoMatic P215

Technical information

Power	3,5 kW (4,8 HP) / 3 ph. / 400 V / 50-60 Hz / 6,5 A
Traction drive	Electric motor with frequency converter for variable speed from approx. 0.8 m/min to 4.5 m/min
Chain drive	with standard chains 80 x 40 mm
Installation width	1.500 mm (variable)
Area performance	400 m ² /h
Weight	460 kg
Dimensions	L 2,356 x W 2,680 x H 740 mm

Shipping dimensions

L 1,860 x W 1,700 x H 1,100 mm

Subject to technical changes



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com