


SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50

E-mail: info@smg-machines.com









Item number/s:

6400150

Cutting machine for synthetic sports surfaces.

After they have become unusable, worn elastic sports surfaces can be relatively easily detached from the construction (usually asphalt). However, plates and strips are often not defined.

This can be avoided by using the TrackCutter before peeling. It cuts all elastic layers from rubber granulate or PU into even manageable plates or strips - preferably of approx. 1.00 m x 1.00 m in size. A wear-resistant fly cutter tool separates the layer. The cutting depth is infinitely adjustable from 0 - 15 mm.

The TrackCutter is also ideal for layer renovation. It significantly facilitates and speeds up the cutting of damaged areas. The machine cuts easily alongside curb stones and discharge drains.

The cutting performance with the depth of 10 mm and the plate size or kerf spacing of 1.00 m is approximately 400 m 2 /h.

Detail views







Cutter head with 4 hard metal knifes

(without protective cover)

Groove Cutting Machine TF50

TF50 cuts grooves for marking lines for plastic profiles. For this reason, it is equipped with two separate markers. The working depth is infinitely adjustable. The exact cut is ensured by a dipstick and two rollers.

TrackCutter TC400

Technical information

Drive	1-cylinder petrol engine / 4 kW (5,4 HP)
Weight	60 kg
Dimensions	L 630 x W 510 x H 510 mm
Shipping dimensions	L 1,200 x W 815 x H 907 mm

Subject to technical changes



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com