


SMG Sportplatzmaschinenbau GmbH

Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany

Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50

E-mail: info@smg-machines.com







Item number/s:

6400214

Cart with hydraulic lifter for the transport and rolling out of artificial turf.

By using the TurfRoller TR5000 for laying of artificial turf the user will benefit from a considerably reduced workload because this device makes the transport and laying of turf rolls very easy.

Traditionally, artificial turf track installation is characterized as labour-intensive, and energy- and time-consuming. In contrast, the reasonable construction of the TurfRoller TR5000 allows a precise positioning and rolling out of a turf roll making a subsequent adjustment nearly unnecessary.

The TurfRoller TR5000 is able to easily lay artificial turf rolls of up to 5 m wide. TurfRoller TR5000 consists of two carts. Each cart is equipped with two steerable double pneumatic tires being steered by a drawbar.


The minimal surface pressure on the subbase is guaranteed and thus the transport on unbounded elastic layers is an effortless business.

With this clever steering mechanism, TR5000 is variable and precise to manoeuvre in all directions.

Detail views







TurfRoller TR5000

Powerfull

Hydraulic pump, lifting capacity up to 1.500 kg.

Manoeuvrable

Unique steering system for front - and rear axles.

Detail views





Nimbly

8 turf tires for minimum surface pressure.

Compact

Extremly compact transport dimensions.

Technical information

Lifting height	400 mm
Lifting power	approx. 1,500 kg
Weight	330 kg
Dimensions	L 1,250 x W 5,600 x H 1,250 mm
Shipping dimensions	L 1,250 x W 850 x H 1,250 mm

Subject to technical changes



SMG Sportplatzmaschinenbau GmbH | Robert-Bosch-Str. 3, DE - 89269 Vöhringen / Germany | Phone: +49 (0) 7306 96 65 0 Fax: +49 (0) 7306 96 65 50 | info@smg-machines.com | www.smg-machines.com